## DIVISION FOR PLANETARY SCIENCES ABSTRACT FORM

## A $\sim 10~\mathrm{km}$ RESOLUTION IMAGE OF LOKI AT 3.8 $\mu\mathrm{m}$

(JPL/Caltech); D. Toomey (IRTF) Goguen, G. J. Veeder, D. L. Matson, T. V. Johnson

Europa during this period is used to develop a detailed quantitative picture of this eruption and its evolution. continued into March 1991. Simultaneous 3.8 and 10µm radiometry at the IRTF of a series of occultations of Io by A major eruption at Loki Patera began in December 1990 and

emission from the dark linear "fissure" ~250 km NE of Loki there is no significant signature in the occultation data of thermal ing that this site may undergo recurrent activity. Specifically, 50 km region that has the lowest albedo in Loki Patera, suggest-Patera. In the Voyager images, the SW corner contains a ~20 x km. The site of the 1991 eruption was the SW corner of Loki tude of the eruption site can be determined to better than 100 thermal emission behind Europa's limb, the latitude and longi-From the times of disappearance and reappearance of hot spot Patera that was the site of 2 plumes detected in the Voyager

emanates from 2 narrow (10-30 km wide) N-S oriented "fissures" to reveal the 1-dimensional structure of the thermal source region  $\sim$ 50-100 km in length and separated by  $\sim$ 100 km at a scale of ~10 km. This hottest component of the emission The 3.8µm occultation radiometry has sufficient signal-to-noise

struct a 2-dimensional image from these 10 scans, assuming constancy of the 3.8 µm source region. were obtained on 5 different dates. We will attempt to recon-Europa's limb corresponding to disappearance and reappearance Pairs of 1-dimensional scans with different orientations of

JPL/Caltech. This work is part of research funded by NASA under contract to

Date Supmitted	Abstract Supmitted to
Form Version 2/93	Abstract Submitted for the Division for Planetary Sciences Meeting, Boulder, CO, USA

	FOR EDITORIAL USE ONLY
ORAL PAPER X	POSTER PAPER
PAPER PRESENTED BY Jay	Jay D. Goguen
	(Please Print, Must be First Author)
SPECIAL INSTRUCTIONS:	
JPL, MS 183-501	
4800 Oak Grove Dr.	Signatule of First Autrior
Pasadena, CA 91109	
	Signature of introducing Member, if Author is a Non-member
E-Mai jdg@scn5.jpl.nasa.gov_	20Y Phone (818) 354-8748
Membership Status (Presenter):	
DPS-AAS Member XX	Non-member Student

publicity staff with accitional material or interviews for reporters. is your abstract newsworthy, and if so would you be willing to assist our

DPS Category No. 16 (From list on separate page)

Society will be included in the registration fee for this meeting for publication of this abstract in the Bulletin of the American Astronomica. Abstract originals must be typed or glued directly onto this form. The charge Abstracts must conform to the AAS style as described on the back of this form

Deacline for receipt of abstract: July 19, 1993. 70

SUBMIT ORIGINAL AND FIVE

3600 Bay Area Boulevard Publications Services Department Houston, TX 77058-1113 Lunar and Planetary Institute DPS Abstracts

BAAS VOL	702
ි   	R EDITORIAL USE ON
16	JSEONLY